EXHIBIT 28

EXHIBIT 29





EXHIBIT 29

Page 211




EXHIBIT 29

Page 212



Oval Low Profile Spyder LED Sealed Lights


Diode	20 LED Diodes - 12V				
Size	6-1/2" (L) x 2-5/16" (W) x 1-1/2" (H)				
Material	Polycarbonate lens, reflector and housing are sonically sealed				
Kit	Each kit contains: 1 light 1 grommet (80802) or cr. plastic flange mount rim (87200) or S.S. flange mount (87146) 1-3 prong pigtail (80472)				
Wire Connection	Hardwired w/ 3 contact female plug				
Unit & Package	Sold by each, carded				
Additional	Patent No.: D570, 013				



4.50 mounting hole grommet mount

See page 183-187 for additional grommet covers.


Light w/S.S. Holding Rim	Light w/CR. Plastic Holding Rim	Light w/ Grommet	Light Only	Function	LED Color	Lens Color
77020	77030	77040	77050	Park/Turn/Clearance	Amber	Amber
77021	77031	77041	77051	Park/Turn/Clearance	Amber	Clear
77023	77033	77043	77053	Stop/Tail/Turn	Red	Red
77024	77034	77044	77054	Stop/Tail/Turn	Red	Clear



PHONE 800.325.0578

FAX 310.631.3568

www.GRANDGE



6